2004 Author Index

Abdullah, A.	A mission synthesis algorithm for fatigue damage analysis	243–258
Abe, M.	A driver-centred safety evaluation model of lane change operation for the aged driver	7–20
Ahlin, K. A.	Dynamic characteristics of a combined bellows and liner flexible joint	485–493
Ahlin, K. A.	Influence of a bellows-type flexible joint on exhaust system dynamics	1473–1478
Akehurst, S.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 1: torque losses due to band friction	1269–1281
Akehurst, S.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 2: pulley deflection losses and total torque loss validation	1283–1293
Akehurst, S.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 3: belt slip losses	1295–1306
Al-Baghdadi, M.A.-R.S.	Improvement of performance and reduction of pollutant emissions of a four-stroke spark ignition engine fuelled with a mixture of hydrogen and methane as a supplementary fuel to alcohol	543–548
Aleiferis, P. G.	The relative effects of fuel concentration, residual-gas fraction, gas motion, spark energy and heat losses to the electrodes on flame-kernel development in a lean-burn spark ignition engine	411–425
Ambrósio, J. A. C.	Structural and biomechanical crashworthiness using multi-body dynamics	629–645
Antonijevic, D.	Heat pump supplemental heating system for motor vehicles	1111–1115
Ariño, S. B.	ACTISEAT: active vehicle seat for acceleration compensation	925–933
Aruna, M. A.	Correlation of field, laboratory and standard lubricant tests using multivariate analysis	195–201
Aruna, M. A.	Differentiation of lubricant degradation in the piston ring groove and crown land by multivariate data analysis	1503–1511
Assanis, D. N.	Development of a neural network model of an advanced, turbocharged diesel engine for use in vehicle-level optimization studies	521–533
Attridge, A.	Environment within a car door	1259–1268
Bae, C.	Characterization of an evaporating direct-injected gasoline spray using laser-induced exciplex fluorescence and particle image velocimetry techniques	745–754
Bae, S. C.	A study on the characteristics of combustion with butane and propane in a retrofitted diesel engine	915–920
Baliga, B.	Force modelling of the crankshaft pin grinding process	219–227
Bannister, C. D.	Vehicle modal emissions measurement – techniques and issues	859–873
Bari, S.	Effect of fuel injection timing with waste cooking oil as a fuel in a direct injection diesel engine	93–104
Beham, M.	Development of a new automatic calibration method for control of variable valve timing	707–718
Beham, M.	Modelling a variable valve timing spark ignition engine using different neural networks	1159–1171
Benajes, J.	The effect of swirl on combustion and exhaust emissions in heavy-duty diesel engines	1141–1148
Bergman, L. A.	Assessing dynamic tyre forces occurring after traversing local roadway irregularities by the pothole dynamic amplification factor method	373–384
Bian, Y.	Comparative investigation of diesel and mixed liquefied petroleum gas/diesel injection engines	557–565
Bischof, G.	On-road determination of aerodynamic drag improvements	1–6
Bolorinwa, E. O.	Finite element simulation of the tyre burst test	1251–1258
Boo, K.	Performance evaluation of traction control systems using a vehicle dynamic model	685–696
Boo, K.	Model development and control methodology of a new electric power steering system	967–975
Botsaris, P. N.	Emission reduction during cold start via catalyst surface control	1333–1340
Boulos, A. M.	Validation of battery–alternator model against experimental data – a first step towards developing a future power supply system	59–70
Bounif, A.	A thermomechanical model of a direct injection diesel engine piston	395–409
Brace, C. J.	Vehicle modal emissions measurement–techniques and issues	859–873
Brace, C. J.	Review of engine cooling technologies for modern engines	1209–1215
Brader, J. S.	Development of a piezoelectrically-controlled hydraulic actuator for a camless engine. Part 1: system design	817–822
Brader, J. S.	Development of a piezoelectrically-controlled hydraulic actuator for a camless engine. Part 2: system modelling	823–830
Bratschitsch, E.	On-road determination of aerodynamic drag improvements	1–6
Broman, G. I.	Dynamic characteristics of a combined bellows and liner flexible joint	485–493
Broman, G. I.	Influence of a bellows-type flexible joint on exhaust system dynamics	1473–1478
Burnham, K. J.	Validation of battery–alternator model against experimental data – a first step towards developing a future power supply system	59–70
Cadiou, J. C.	Transversal tyre road characteristic estimation	1099–1110
Cadiou, J. C.	Non-linear tyre forces estimatiaon based on vehicle dynamics observation in a finite time	1379–1392
Campbell, N. A. F.	Predicting boiling heat transfer using computational fluid dynamics	509–520
Cao, J.	Comparative investigation of diesel and mixed liquefied petroleum gas/diesel injection engines	557–565
Cao, M.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 1: model development	831–843

© IMechE 2004

Cao, M.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 2: system simulation	845–857
Cha, I.-R.	Optimization of an automotive side door beam, considering static requirement	51–57
Chae, H.-C.	The application of artificial neural networks to the characterization of interior noise booming in passenger cars	33–42
Chan, D.	Review of automotive brake friction materials	953–966
Chen, R.	Influence of variable valve timings on the gas exchange process in a controlled auto-ignition engine	567–583
Chen, J.	Comparative analysis for bus side structures and lightweight optimization	1067–1075
Chen, N.	Multi-objective $H\infty$ optimal control for four-wheel steering vehicle based on a yaw rate tracking	1117–1123
Cheng, K. Y.	The influence of blow-by on indicated work output from a diesel engine under cold start conditions	333–340
Cheng, Q.	Comparative investigation of diesel and mixed liquefied petroleum gas/diesel injection engines	557–565
Cheng, Z.	Limiting performance analysis of toepan padding for mitigating lower limb injuries	619–628
Cheng, Q.	Turbulent time–frequency spectral structures and the extraction of the desired turbulence component	1025–1033
Chikhi, F.	Non-linear tyre forces estimatiaon based on vehicle dynamics observation in a finite time	1379–1392
Chittajallu, K. M.	Control of the transient behaviour of polymer electrolyte membrane fuel cell systems	1239–1250
Cho, H.	Vehicle trajectory control using the fuzzy logic controller	21–32
Cho, S.	Injector control logic for a liquid-phase liquid petroleum gas injection engine	71–79
Choi, M.-S.	Experimental investigation of the effect of thin-wall substrates and spark timing retard on total hydrocarbon emissions during cold start for super-ultra-low-emission vehicle application	427–433
Choi, D.-S.	Characterization of an evaporating direct-injected gasoline spray using laser-induced exciplex fluorescence and particle image velocimetry techniques	745–754
Choi, G. H.	A study on the characteristics of combustion with butane and propane in a retrofitted diesel engine	915–920
Choi, G. H.	Performance and exhaust emissions test results from a liquid propane injected engine with hydrogen enrichment	1135–1140
Chung, N.	Experimental analysis of a liquid-phase liquefied petroleum gas injector for a heavy-duty engine	719–727
Chung, Y. J.	A study on the characteristics of combustion with butane and propane in a retrofitted diesel engine	915–920
Clark, N.	Diesel emissions prediction from dissimilar cycle scaling	341–352
Clarke, A.	The effects of soot properties on the regeneration behaviour of wall-flow diesel particulate filters	1503–1511
Climent, H.	Diesel injection system modelling. Methodology and application for a first-generation common rail system	81–91
Conway, P. P.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Cottrill, M. C. W.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Cox, A.	Vehicle modal emissions measurement – techniques and issues	859–873
Crandall, J. R.	Evaluation of energy-absorbing materials as a means to reduce foot/ankle axial load injury risk	279–293
Crandall, J. R.	Limiting performance analysis of toepan padding for mitigating lower limb injuries	619–628
Crowther, A.	Analysis and simulation of clutch engagement judder and stick-slip in automotive powertrain systems	1427–1446
Čudina, M.	Model testing the two-phase scavenging system in a two-stroke petrol engine	1307–1315
Cui, Y.	A modelling and experimental study of transient No_x emissions in turbocharged direct injection diesel engines	535–541
Cunningham, G.	Flowrate and heat transfer considerations for oxidation catalysts	229–241
Dai, L.	Influence of liquid slosh on ride quality of liquid cargo tank vehicles	675–684
Daisho, Y.	Simulation for high efficiency liquefied petroleum gas engine development	1201–1208
Daisho, Y.	An experimental study of the effects of combustion systems and fuel properties on the performance of a diesel engine	1317–1323
Darvish, K.	Limiting performance analysis of toepan padding for mitigating lower limb injuries	619–628
Data, S.	Identification of steering system parameters by experimental measurements processing	783–792
Delagrammatikas, G. J.	Development of a neural network model of an advanced, turbocharged diesel engine for use in vehicle-level optimization studies	521–533
Delaigue, P.	A comprehensive vehicle braking model for predictions of stopping distances	1409–1417
Deng, K.	A modelling and experimental study of transient No_x emissions in turbocharged direct injection diesel engines	535–541
Deng, K.	Analysis of particulate matter composition from a heavy-duty diesel engine	1325–1331
Dölek, Ö.	Structures of flow around a full scale side mirror of a car with relevance to aerodynamic noise	1085–1097
Dong, M.	Influence of liquid slosh on ride quality of liquid cargo tank vehicles	675–684
Douglas, R.	Flowrate and heat transfer considerations for oxidation catalysts	229–241
Douglas, R.	Modelling of oxygen storage in automotive catalysts	1349–1362
Dutta-Roy, T.	Effect of a half-toroidal continuously variable unit on the dynamics of a complete powertrain: a parametric free vibration analysis	471–484
El Hadri, A.	Transversal tyre road characteristic estimation	1099–1110
El Hadri, A.	Non-linear tyre forces estimatiaon based on vehicle dynamics observation in a finite time	1379–1392
Emadi, A.	Acceleration support by integrated starter/alternator for automotive applications	987–993
Emadi, A.	Electronic control units for automotive electrical power systems: communications and networks	1217–1230
Englund, T. L.	Dynamic characteristics of a combined bellows and liner flexible joint	485–493
Englund, T. L.	Influence of a bellows-type flexible joint on exhaust system dynamics	1473–1478
Enikeev, R. D.	Improving engine performance and noise level, using the ALBEA simulation technique	1447–1453
Eskandarian, A.	A comprehensive vehicle braking model for predictions of stopping distances	1409–1417
Etzel, M.	Development of a new automatic calibration method for control of variable valve timing	707–718
Fang, J.	Study of a pre-mixed charge compression ignition engine by dimethoxymethane port injection	549–555
Favennec, A. G.	Diesel injection system modelling. Methodology and application for a first-generation common rail system	81–91
Fay, P. A.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Fontaine, J.	ACTISEAT: active vehicle seat for acceleration compensation	925–933
Fox, M. F.	Correlation of field, laboratory and standard lubricant tests using multivariate analysis	195–201
Fox, M. F.	Differentiation of lubricant degradation in the piston ring groove and crown land by multivariate data analysis	1503–1511
Frampton, R.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Frechin, M. M.	ACTISEAT: active vehicle seat for acceleration compensation	925–933

© IMechE 2004

Frene, J.	A thermomechanical model of a direct injection diesel engine piston	395–409
Fujii, Y.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 1: model development	831–843
Fujii, Y.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 2: system simulation	845–857
Ganguli, A.	Tractable model development and system identification for longitudinal vehicle dynamics	1077–1084
Gao, J.	Turbulence effects on accelerating turbulent premixed combustion	1035–1040
García, J. M.	The effect of swirl on combustion and exhaust emissions in heavy-duty diesel engines	1141–1148
Garner, C. P.	The effects of soot properties on the regeneration behaviour of wall-flow diesel particulate filters	1503–1511
Gautam, M.	Diesel emissions prediction from dissimilar cycle scaling	341–352
Gense, R.	Driving style and traffic measures – influence on vehicle emissions and fuel consumption	43–50
Giacomin, J. A.	A mission synthesis algorithm for fatigue damage analysis	243–258
Gordon, B.	Review and analysis of variable valve timing strategies – eight ways to approach	1179–1200
Griffin, M. J.	An experimental study of low-frequency motion in cars	1231–1238
Gruenberg, S.	Dynamic characterization of automotive exhaust isolators	891–900
Grujicic, M.	Control of the transient behaviour of polymer electrolyte membrane fuel cell systems	1239–1250
Guang, H.	New type of combustion system for a direct injection diesel engine, using spray impingement close to the slanting wall	1173–1178
Haas, A.	On-road determination of aerodynamic drag improvements	1–6
Hall, W.	Finite element simulation of a rolling automobile tyre to understand its transient macroscopic behaviour	1393–1408
Hammond, G. P.	Predicting boiling heat transfer using computational fluid dynamics	509–520
Han, S. B.	A study on the characteristics of combustion with butane and propane in a retrofitted diesel engine	915–920
Han, I.	Development and test of a motor vehicle event data recorder	977–985
Han, S. B.	Performance and exhaust emissions test results from a liquid propane injected engine with hydrogen enrichment	1135–1140
Hawley, J. G.	An exhaust pressure control strategy for a diesel engine	449–464
Hawley, J. G.	Predicting boiling heat transfer using computational fluid dynamics	509–520
Hawley, J. G.	Vehicle modal emissions measurement – techniques and issues	859–873
Heckt, R.	Heat pump supplemental heating system for motor vehicles	1111–1115
Hibi, A.	Fundamental test results of a hydraulic free piston internal combustion engine	1149–1157
Hodgson, P. D.	Force modelling of the crankshaft pin grinding process	219–227
Holford, K. M.	The application of a programmable servo controller to state control of an electrohydraulic active suspension	1367–1377
Hong, S.	Model development and control methodology of a new electric power steering system	967–975
Hong, H.	Review and analysis of variable valve timing strategies – eight ways to approach	1179–1200
Hoyle, J. B.	Modelling the static stiffness and dynamic frequency response characteristics of a leaf spring truck suspension	259–278
Hu, Y.-J.	Modelling and analysis of an air-over-hydraulic brake system	805–815
Huang, Z.	Modelling and experimental study on bending vibration of a diesel engine crankshaft	385–394
Huang, Z. H.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Huang, Z.	Study of a pre-mixed charge compression ignition engine by dimethoxymethane port injection	549–555
Huang, K. D.	Optimization of size of vehicle and flow domain for underhood airflow simulation	945–951
Huang, Z. H.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Ishii, K.	The relative effects of fuel concentration,residual-gas fraction, gas motion, spark energy and heat losses to the electrodes on flame-kernel development in a lean-burn spark ignition engine	411–425
Ito, T.	Fundamental test results of a hydraulic free piston internal combustion engine	1149–1157
Jaggernauth, W. A.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Jayabalan, R.	Acceleration support by integrated starter/alternator for automotive applications	987–993
Jeyakumaran, J. K.	Analysis and simulation of clutch engagement judder and stick-slip in automotive powertrain systems	1427–1446
Jiang, Z.	Quasi-dimensional multizone combustion model for direct injection engines fuelled with dimethyl ether	315–322
Jiang, D.	Quasi-dimensional multizone combustion model for direct injection engines fuelled with dimethyl ether	315–322
Jiang, D. M.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Jiang, D. M.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Jiang, D. M.	Turbulent time–frequency spectral structures and the extraction of the desired turbulence component	1025–1033
Jiang, D. M.	Turbulence effects on accelerating turbulent premixed combustion	1035–1040
Johnson, P. W.	New pressure-based methods for quantifying radiator airflow	361–372
Jones, N.	Impact of thin-walled high-strength steel structural sections	131–158
Jones, R. P.	Finite element simulation of a rolling automobile tyre to understand its transient macroscopic behaviour	1393–1408
Joo, W.-S.	Optimization of an automotive side door beam, considering static requirement	51–57
Jou, R. Y.	Experimental study of local temperature distributions in rotary blade couplings of four-wheel-drive vehicles with circumferentially ribbed turbulators	935–943
Kaltenhauser, A.	On-road determination of aerodynamic drag improvements	1–6
Kano, Y.	A driver-centred safety evaluation model of lane change operation for the aged driver	7–20
Karkanis, A. N.	Emission reduction during cold start via catalyst surface control	1333–1340
Kaźmierczak, A.	Computer simulation of piston–piston ring–cylinder liner coactions in combustion engines	1491–1501
Ketcher, D.	Vehicle modal emissions measurement – techniques and issues	859–873
Khossusi, T.	Modelling of oxygen storage in automotive catalysts	1349–1362
Kim, H.-S.	Experimental investigation of the effect of thin-wall substrates and spark timing retard on total hydrocarbon emissions during cold start for super-ultra-low-emission vehicle application	427–433
Kim, H. S.	Model development and control methodology of a new electric power steering system	967–975
Kim, H. J.	Atomization characteristics and prediction accuracies of hybrid break-up models for a gasoline direct injection spray	1041–1053

© IMechE 2004

Kirk, A.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Kitagawa, Y.	Evaluation of energy-absorbing materials as a means to reduce foot/ankle anxle load injury risk	279–293
Konstantas, G.	Quality assurance of exhaust emissions test data	901–914
Ladommatos, N.	Computational study of the effects of geometry of the piston bowl pip for a high-speed direct injection diesel engine	875–890
Laituri, T. R.	Estimation of AIS3+ thoracic injury risks of belted drivers in NASS frontal crashes	591–609
Lan, F.	Comparative analysis for bus side structures and lightweight optimization	1067–1075
Law, M. C. W.	The effects of soot properties on the regeneration behaviour of wall-flow diesel particulate filters	1503–1511
Leathard, M. J.	Predicting boiling heat transfer using computational fluid dynamics	509–520
Lee, S.-K.	The application of artificial neural networks to the characterization of interior noise booming in passenger cars	33–42
Lee, K.-H.	Optimization of an automotive side door beam, considering static requirement	51–57
Lee, S.-K.	Identification of a vibration transmission path in a vehicle by measuring vibrational power flow	167–175
Lee, K.	Dynamic contact analysis for the valvetrain dynamics of an internal combustion engine by finite element techniques	353–358
Lee, D.-C.	A design of panel structure for the improvement of dynamic stiffness	647–654
Lee, K.	Experimental analysis of a liquid-phase liquefied petroleum gas injector for a heavy-duty engine	719–727
Lee, W.	Target-identical rapid control prototyping platform for model-based engine control	755–765
Lee, C. S.	Investigation of atomization and evaporation characteristics of high-pressure injection diesel spray using Kelvin–Helmholz instability/droplet deformation and break-up competition model	767–777
Lee, J.	Model development and control methodology of a new electric power steering system	967–975
Lee, W.	Development and test of a motor vehicle event data recorder	977–985
Lee, C. S.	Atomization characteristics and prediction accuracies of hybrid break-up models for a gasoline direct injection spray	1041–1053
Lee, S.-W.	Simulation for high efficiency liquefied petroleum gas engine development	1201–1208
Lee, S.-W.	An experimental study of the effects of combustion systems and fuel properties on the performance of a diesel engine	1317–1323
Lenard, J.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Li, W.	A contact finite element algorithm for the multileaf spring of vehicle suspension systems	305–314
Li, C.-G.	Modelling and analysis of an air-over-hydraulic brake system	805–815
Li, P.	Multi-objective H_∞ optimal control for four-wheel steering vehicle based on a yaw rate tracking	1117–1123
Li, Q.	A contact finite element algorithm for the multileaf spring of vehicle suspension systems	305–314
Liao, S. Y.	Turbulent time–frequency spectral structures and the extraction of the desired turbulence component	1025–1033
Liao, S. Y.	Turbulence effects on accelerating turbulent premixed combustion	1035–1040
Liao, G. Y.	Modelling and analysis of powertrain hybridization on all-wheel-drive sport utility vehicles	1125–1134
Lim, T. H.	Effect of fuel injection timing with waste cooking oil as a fuel in a direct injection diesel engine	93–104
Lin, J.	Comparative analysis for bus side structures and lightweight optimization	1067–1075
Liou, J. H.	Experimental study of local temperature distributions in rotary blade couplings of four-wheel-drive vehicles with circumferentially ribbed turbulators	935–943
Liu, B.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Liu, B.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Liu, H.	Study on the injection process of a direct-injection diesel engine fuelled with dimethyl ether	1341–1347
Liu, D. K.	Analysis and simulation of clutch engagement judder and stick-slip in automotive powertrain systems	1427–1446
Lu, H. B.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Lu, H. B.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Lu, J.-X.	Analysis of particulate matter composition from a heavy-duty diesel engine	1325–1331
Lü, X.-C.	Modelling and experimental study on bending vibration of a diesel engine crankshaft	385–394
Lv, H.-M.	Multi-objective H_∞ optimal control for four-wheel steering vehicle based on a yaw rate tracking	1117–1123
Maggetto, G.	Driving style and traffic measures – influence on vehicle emissions and fuel consumption	43–50
Mahtani, J. L.	Validation of battery–alternator model against experimental data – a first step towards developing a future power supply system	59–70
Mao, Y. J.	An innovative piston retractor for bicycle hydraulic disc braking systems	295–303
Mao, Y. J.	A study of a pressure regulator for an anti-lock braking system for low-powered vehicles	793–803
Martinho, N. A. G.	Evaluation of thermal comfort in a vehicle cabin	159–166
Maspeyrot, P.	A thermomechanical model of a direct injection diesel engine piston	395–409
Matolcsy, M.	General survey of bus frontal collisions: is regulation needed?	655–664
McCullough, G.	Flowrate and heat transfer considerations for oxidation catalysts	229–241
McCullough, G.	Modelling of oxygen storage in automotive catalysts	1349–1362
Melas, D. A.	Computational study of the effects of geometry of the piston bowl pip for a high-speed direct injection diesel engine	875–890
Meng, X.	Quasi-dimensional multizone combustion model for direct injection engines fuelled with dimethyl ether	315–322
Milovanovic, N.	Influence of variable valve timings on the gas exchange process in a controlled auto-ignition engine	567–583
Min, K.	Injector control logic for a liquid-phase liquid petroleum gas injection engine	71–79
Min, K.	Experimental investigation of the effect of thin-wall substrates and spark timing retard on total hydrocarbon emissions during cold start for super-ultra-low-emission vehicle application	427–433
Molina, S.	The effect of swirl on combustion and exhaust emissions in heavy-duty diesel engines	1141–1148
Morris, A.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Moss, N.	A preliminary review of some major options aimed to reduce substantially the fuel consumed by automobiles	1479–1489
Mottram, J. T.	Finite element simulation of a rolling automobile tyre to understand its transient macroscopic behaviour	1393–1408
Mukarram, S. K. L.	Performance benchmarks of pressure and fibre optics sensors for natural gas engine control	177–193
Murphy, M.	The influence of blow-by on indicated work output from a diesel engine under cold start conditions	333–340

© IMechE 2004

Myung, C.-L.	Experimental investigation of the effect of thin-wall substrates and spark timing retard on total hydrocarbon emissions during cold start for super-ultra-low-emission vehicle application	427–433
Newman, M. M.	An experimental study of low-frequency motion in cars	1231–1238
Newton, R.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Ng, E. Y.	New pressure-based methods for quantifying radiator airflow	361–372
Nishida, K.	Effect of injection temporal splitting on the characteristics of fuel–air mixture formation in a common rail diesel spray	323–331
Nwagboso, C. O.	Performance benchmarks of pressure and fibre optics sensors for natural gas engine control	177–193
Olatunbosun, O. A.	Finite element simulation of the tyre burst test	1251–1258
Özdemir, I. B.	Structures of flow around a full scale side mirror of a car with relevance to aerodynamic noise	1085–1097
Özkan, G.	Structures of flow around a full scale side mirror of a car with relevance to aerodynamic noise	1085–1097
Pacaud, C.	Validation of battery–alternator model against experimental data – a first step towards developing a future power supply system	59–70
Palmer, P. J.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Pang, H. H.	Review of engine cooling technologies for modern engines	1209–1215
Park, G.-J.	Optimization of an automotive side door beam, considering static requirement	51–57
Park, S.	Experimental investigation of the effect of thin-wall substrates and spark timing retard on total hydrocarbon emissions during cold start for super-ultra-low-emission vehicle application	427–433
Park, S. W.	Investigation of atomization and evaporation characteristics of high-pressure injection diesel spray using Kelvin–Helmholz instability/droplet deformation and break-up competition model	767–777
Park, S. W.	Atomization characteristics and prediction accuracies of hybrid break-up models for a gasoline direct injection spray	1041–1053
Park, S.	An experimental study of the effects of combustion systems and fuel properties on the performance of a diesel engine	1317–1323
Parker, D. A.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 1: torque losses due to band friction	1269–1281
Parker, D. A.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 2: pulley deflection losses and total torque loss validation	1283–1293
Parker, D. A.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 3: belt slip losses	1295–1306
Parvate-Patil, G. B.	Review and analysis of variable valve timing strategies – eight ways to approach	1179–1200
Payri, R.	Diesel injection system modelling. Methodology and application for a first-generation common rail system	81–91
Pendlebury, M. A.	Performance benchmarks of pressure and fibre optics sensors for natural gas engine control	177–193
Pesce, M.	Identification of steering system parameters by experimental measurements processing	783–792
Pesterev, A. V.	Assessing dynamic tyre forces occurring after traversing local roadway irregularities by the pothole dynamic amplification factor method	373–384
Pfaff, D. P.	Modelling and analysis of powertrain hybridization on all-wheel-drive sport utility vehicles	1125–1134
Pilkey, W. D.	Limiting performance analysis of toepan padding for mitigating lower limb injuries	619–628
Pintado, P.	Laboratory work in a vehicle dynamics course	495–507
Pontikakis, G. N.	Experimental validation of a fuel additive assisted regeneration model in silicon carbide diesel filters	729–744
Pontikakis, G. N.	Identification of catalytic converter kinetic model using a genetic algorithm approach	1455–1472
Poteau, F. C.	Evaluation of energy-absorbing materials as a means to reduce foot/ankle axial load injury risk	279–293
Prasad, P.	Estimation of AIS3+ thoracic injury risks of belted drivers in NASS frontal crashes	591–609
Pukrushpan, J. T.	Control of the transient behaviour of polymer electrolyte membrane fuel cell systems	1239–1250
Qi, D.	Comparative investigation of diesel and mixed liquefied petroleum gas/diesel injection engines	557–565
Qiao, X.	Study of a pre-mixed charge compression ignition engine by dimethoxymethane port injection	549–555
Rajamani, R.	The impact of adaptive cruise control systems on highway safety and traffic flow	111–130
Rajamani, R.	Tractable model development and system identification for longitudinal vehicle dynamics	1077–1084
Ramos, J. A. E.	Evaluation of thermal comfort in a vehicle cabin	159–166
Rao, M. D.	Dynamic characterization of automotive exhaust isolators	891–900
Reccia, L.	Identification of steering system parameters by experimental measurements processing	783–792
Riesco, J. M.	The effect of swirl on combustion and exhaust emissions in heavy-duty diesel engines	1141–1148
Rocheleau, D. N.	Development of a piezoelectrically-controlled hydraulic actuator for a camless engine. Part 1: system design	817–822
Rocheleau, D. N.	Development of a piezoelectrically-controlled hydraulic actuator for a camless engine. Part 2: system modelling	823–830
Ronghua, H.	New type of combustion system for a direct injection diesel engine, using spray impingement close to the slanting wall	1173–1178
Rudd, R. W.	Evaluation of energy-absorbing materials as a means to reduce foot/ankle axial load injury risk	279–293
Rudoy, B. P.	Improving engine performance and noise level, using the ALBEA simulation technique	1447–1453
Salim, M.	Thermally activated mobile ejector refrigeration system analysis	1055–1061
Salvador, F. J.	Diesel injection system modelling. Methodology and application for a first-generation common rail system	81–91
Schneider, F.	Impact of thin-walled high-strength steel structural sections	131–158
Schulz, M.	Circulating mechanical power in a power-split hybrid electric vehicle transmission	1419–1425
Setiawan, B.	Influence of liquid slosh on ride quality of liquid cargo tank vehicles	675–684
Shayler, P. J.	The influence of blow-by on indicated work output from a diesel engine under cold start conditions	333–340
Shin, M.	Target-identical rapid control prototyping platform for model-based engine control	755–765
Shrinath, A.	Electronic control units for automotive electrical power systems: communications and networks	1217–1230
Shu, G.-Q.	Modelling and experimental study on bending vibration of a diesel engine crankshaft	385–394
Silva, M. C. G.	Evaluation of thermal comfort in a vehicle cabin	159–166
Silva, M. P. T.	Structural and biomechanical crashworthiness using multi-body dynamics	629–645
Sim, H.	Development and validation of a dynamic model for a gaseous-fuel engine	697–705
Sim, H.	Experimental analysis of a liquid-phase liquefied petroleum gas injector for a heavy-duty engine	719–727

© IMechE 2004

Sim, D.-J.	Characterization of an evaporating direct-injected gasoline spray using laser-induced exciplex fluorescence and particle image velocimetry techniques	745–754
Simner, D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 1: torque losses due to band friction	1269–1281
Simner, D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 2: pulley deflection losses and total torque loss validation	1283–1293
Simner, D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 3: belt slip losses	1295–1306
Song, S.-I.	Optimization of an automotive side door beam, considering static requirement	51–57
Song, J.	Study of a pre-mixed charge compression ignition engine by dimethoxymethane port injection	549–555
Song, J.	Performance evaluation of traction control systems using a vehicle dynamic model	685–696
Song, J.	Model development and control methodology of a new electric power steering system	967–975
Sparis, P. D.	Emission reduction during cold start via catalyst surface control	1333–1340
Spence, S.	Flowrate and heat transfer considerations for oxidation catalysts	229–241
Stachowiak, G. W.	Review of automotive brake friction materials	953–966
Stamatelos, A. M.	Flow distribution effects in the loading and catalytic regeneration of wall-flow diesel particulate filters	203–216
Stamatelos, A. M.	Experimental validation of a fuel additive assisted regeneration model in silicon carbide diesel filters	729–744
Stamatelos, A.	Quality assurance of exhaust emissions test data	901–914
Stamatelos, A. M.	Flow maldistribution measurements in wall-flow diesel filters	995–1009
Stamatelos, A. M.	Identification of catalytic converter kinetic model using a genetic algorithm approach	1455–1472
Stark, R.	Vehicle modal emissions measurement – techniques and issues	859–873
Stratakis, G. A.	Flow distribution effects in the loading and catalytic regeneration of wall-flow diesel particulate filters	203–216
Stratakis, G. A.	Experimental validation of a fuel additive assisted regeneration model in silicon carbide diesel filters	729–744
Stratakis, G. A.	Flow maldistribution measurements in wall-flow diesel filters	995–1009
Sullivan, K.	Estimation of AIS3+ thoracic injury risks of belted drivers in NASS frontal crashes	591–609
Sunwoo, M.	Development and validation of a dynamic model for a gaseous-fuel engine	697–705
Sunwoo, M.	Experimental analysis of a liquid-phase liquefied petroleum gas injector for a heavy-duty engine	719–727
Sunwoo, M.	Target-identical rapid control prototyping platform for model-based engine control	755–765
Surawattanawan, P.	The application of a programmable servo controller to state control of an electrohydraulic active suspension	1367–1377
Tahar Abbes, M.	A thermomechanical model of a direct injection diesel engine piston	395–409
Tan, C. A.	Assessing dynamic tyre forces occurring after traversing local roadway irregularities by the pothole dynamic amplification factor method	373–384
Tan, P.-Q.	Analysis of particulate matter composition from a heavy-duty diesel engine	1325–1331
Taylor, S.	Diesel emissions prediction from dissimilar cycle scaling	341–352
Taylor, A. M. K. P.	The relative effects of fuel concentration, residual-gas fraction, gas motion, spark energy and heat losses to the electrodes on flame-kernel development in a lean-burn spark ignition engine	411–425
Thomas, P.	Accidents, injuries and safety priorities for light goods vehicles in Great Britain	611–618
Tobler, W. E.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 1: model development	831–843
Tobler, W. E.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 2: system simulation	845–857
Tseng, C. H.	An innovative piston retractor for bicycle hydraulic disc braking systems	295–303
Tseng, C. H.	A study of a pressure regulator for an anti-lock braking system for low-powered vehicles	793–803
Turner, J.	Influence of variable valve timings on the gas exchange process in a controlled auto-ignition engine	567–583
Tzeng, S. C.	Experimental study of local temperature distributions in rotary blade couplings of four-wheel-drive vehicles with circumferentially ribbed turbulators	935–943
Tzeng, S. C.	Optimization of size of vehicle and flow domain for underhood airflow simulation	945–951
Ullrich, F.	On-road determination of aerodynamic drag improvements	1–6
Urata, Y.	The relative effects of fuel concentration, residual-gas fraction, gas motion, spark energy and heat losses to the electrodes on flame-kernel development in a lean-burn spark ignition engine	411–425
Vakhitov, Y. R.	Improving engine performance and noise level, using the ALBEA simulation technique	1447–1453
Van Mierlo, J.	Driving style and traffic measures – influence on vehicle emissions and fuel consumption	43–50
Van de Burgwal, E.	Driving style and traffic measures – influence on vehicle emissions and fuel consumption	43–50
Vaughan, N. D.	An exhaust pressure control strategy for a diesel engine	449–464
Vaughan, N. D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 1: torque losses due to band friction	1269–1281
Vaughan, N. D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 2: pulley deflection losses and total torque loss validation	1283–1293
Vaughan, N. D.	Modelling of loss mechanisms in a pushing metal V-belt continuously variable transmission. Part 3: belt slip losses	1295–1306
Wall, J. E.	Dynamic characteristics of a combined bellows and liner flexible joint	485–493
Wall, J. E.	Influence of a bellows-type flexible joint on exhaust system dynamics	1473–1478
Walsh, A. P.	Force modelling of the crankshaft pin grinding process	219–227
Walton, D.	Environment within a car door	1259–1268
Wang, B.	A driver-centred safety evaluation model of lane change operation for the aged driver	7–20
Wang, J.	The impact of adaptive cruise control systems on highway safety and traffic flow	111–130
Wang, X.	Quasi-dimensional multizone combustion model for direct injection engines fuelled with dimethyl ether	315–322
Wang, X. B.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Wang, X.-D.	Modelling and analysis of an air-over-hydraulic brake system	805–815
Wang, X.-L.	Modelling and analysis of an air-over-hydraulic brake system	805–815

© IMechE 2004

Wang, K. W.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 1: model development	831–843
Wang, K. W.	Advanced hybrid neural network automotive friction component model for powertrain system dynamic analysis. Part 2: system simulation	845–857
Wang, X. B.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Watkins, S.	New pressure-based methods for quantifying radiator airflow	361–372
Watton, J.	The application of a programmable servo controller to state control of an electrohydraulic active suspension	1367–1377
Wayne, W. S.	Diesel emissions prediction from dissimilar cycle scaling	341–352
Webb, D. P.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Weber, T. R.	Modelling and analysis of powertrain hybridization on all-wheel-drive sport utility vehicles	1125–1134
West, A. A.	Electromagnetic compatibility performance of large area flexible printed circuit automotive harness	667–673
Wideberg, J. P.	Laboratory work in a vehicle dynamics course	495–507
Wijetunge, R. S.	An exhaust pressure control strategy for a diesel engine	449–464
Wilson, M.	Predicting boiling heat transfer using computational fluid dynamics	509–520
Wirkner, K. J.	Dynamic characterization of automotive exhaust isolators	891–900
Wu, J.	A modelling and experimental study of transient No_x emissions in turbocharged direct injection diesel engines	535–541
Wu, T.	Comparative investigation of diesel and mixed liquefied petroleum gas/diesel injection engines	557–565
Xia, X. X.	Study on the injection process of a direct-injection diesel engine fuelled with dimethyl ether	1341–1347
Xiaobei, C.	New type of combustion system for a direct injection diesel engine, using spray impingement close to the slanting wall	1173–1178
Xu, L.	Influence of liquid slosh on ride quality of liquid cargo tank vehicles	675–684
Yang, Q. L.	Study on the injection process of a direct-injection diesel engine fuelled with dimethyl ether	1341–1347
Yates, J. R.	A mission synthesis algorithm for fatigue damage analysis	243–258
Yi, S.-J.	Vehicle trajectory control using the fuzzy logic controller	21–32
Yu, C. W.	Effect of fuel injection timing with waste cooking oil as a fuel in a direct injection diesel engine	93–104
Yu, D. L.	Development of a new automatic calibration method for control of variable valve timing	707–718
Yu, D. L.	Modelling a variable valve timing spark ignition engine using different neural networks	1159–1171
Zeng, K.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Zeng, K.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Zeng, K.	Turbulence effects on accelerating turbulent premixed combustion	1035–1040
Zhang, Y.	Effect of injection temporal splitting on the characteristics of fuel–air mixture formation in a common rail diesel spray	323–331
Zhang, J. Q.	Engine performance and emissions of a compression ignition engine operating on the diesel–methanol blends	435–447
Zhang, N.	Effect of a half-toroidal continuously variable unit on the dynamics of a complete powertrain: a parametric free vibration analysis	471–484
Zhang, J. Q.	Combustion characteristics and heat release analysis of a compression ignition engine operating on a diesel/methanol blend	1011–1024
Zhang, N.	Analysis and simulation of clutch engagement judder and stick-slip in automotive powertrain systems	1427–1446
Zhang, G. D.	Study on the injection process of a direct-injection diesel engine fuelled with dimethyl ether	1341–1347
Zhao, H.	Computational study of the effects of geometry of the piston bowl pip for a high-speed direct injection diesel engine	875–890
Zhong, Y.	Study of a pre-mixed charge compression ignition engine by dimethoxymethane port injection	549–555
Zhu, Y.	Computational study of the effects of geometry of the piston bowl pip for a high-speed direct injection diesel engine	875–890

© IMechE 2004